

## Bibliography

- Agtmael (van) MA, Eggelte TA Boxtel (van) CJ. Artemisinin drugs in the treatment of malaria: from medicinal herb to registered medication. *Trends Pharmacol Sci* 1999; 20: 199-205.
- Alin MH, Ashton M, Kihamia CM, Mtev GJ, Björkman A. Clinical efficacy and pharmacokinetics of artemisinin monotherapy and in combination with mefloquine in patients with falciparum malaria. *Br J Clin Pharmacol* 1996; 41: 587-92.
- Alin MH, Björkman A. Concentration and time dependency of artemisinin efficacy against *Plasmodium falciparum* in vitro. *Am J Trop Med Hyg* 1994; 50: 771-76.
- Arjen M. et al. Artemisinin Resistance in *Plasmodium falciparum* Malaria. *N. Engl. J. Med.* 2009; 361:445-67.
- ARUDO T. June 16th conference presentation at the European Parliament on the results obtained from preventive use of *Artemisia annua* tea in two schools in Kisumu and Kenya. June 2011. [www.iday.org/IDAY.Documents](http://www.iday.org/IDAY/Documents).
- Ashley EA, Pinoges L, Turyakira E, Dorsey G, Checchi F, Bukirwa H, van den Broek I, Zongo I, Palma Urruta PP, van Herp M, Balkan S, Taylor WR, Olliaro P, Guthmann JP. Different methodological approaches to the assessment of *in vivo* efficacy of three artemisinin-based combination antimalarial treatments for the treatment of uncomplicated falciparum malaria in African children. *Malaria Journal* 2008, 7 ; 154.
- Ashton M, Nguyen DS, Nguyen VH, Gordi T, Trinh NH, Dinh XH, Nguyen TN, Le DC. Artemisinin kinetics and dynamics during oral and rectal treatment of uncomplicated malaria. *Clin Pharmacol Ther* 1998; 63: 482-13.
- Barclay V.C., Sim D., Chan B.H.K., Nell L. A., Rabaa M.A., Bell A.S., Robin F., Read A.F. The evolutionary consequences of blood stage vaccination on the rodent malaria plasmodium chabaudi. *PlosBiology* 2011; 10(7): 1001368:371/journal.pbio.1001368
- Birku Y, Makonnen E, Björkman A. Comparison of rectal artemisinin with intravenous quinine in the treatment of severe malaria in Ethiopia. *East Afr Med J* 1999; 76:154-9.
- Blanke CH, Naisabha GB, Balema MB, Mbaruku GM, Heide L, Müller SM. Herba *Artemisia annuae* tea preparation compared to sulfadoxine-pyrimethamine in the treatment of uncomplicated falciparum malaria in adults: a randomized double-blind clinical trial. *Trop Doct* 2008, 38:113-6.
- Brodin K, Alahyar H, Hedner T, Sterner O, Faergemann J In vitro activity of *Artemisia abrotanum* extracts against *Malassezia* Spp., *Candida albicans* and *Staphylococcus aureus*. *Acta Derm Venereol* 2007;87(6):540-2.
- Bourdy G., "Malaria: searching for forgotten plants", Development Research Institut, June 2011
- Cala Aida Cristina, « Avaliação Da Atividade De *Artemisia annua* L., *Melia Azedaeach* L. E *Trichilia Claußenii* C. Sobre Nematodeos Gastrintestinais De Ovinos », Universidade Estadual Paulista, 2010, Dissertacão Faculdade de Ciencias
- Carbonara T., Pascale R., Argentieiri M.P., Papadia P., Fanizzi Francesco P., Villalona Luciano, Avato P., Phytochemical analysis of a herbal tea from *Artemisia annua* L. *Journal of Pharmaceutical and Biomedical Analysis*, January 2012.0
- Chougou Kengne Rosine, Hansen Gilbert, Lutgen P, Kouamouo J et al. Phytochemical Characteristics of *Artemisia annua*, Antimalaria plant from the Grassfield Region of Cameroon. Natural Plants Chemical Laboratory, Université des Montagnes of Yaoundé & Laboratoire National de Santé de Luxembourg, 2010.
- Chougou K. Rosine, Wilfried Ketchiozo L, Jonas Kouamouo, Pierre Lutgen, Pierre Tane, Roger Moyou S. Efficacy and Tolerance of *Artemisia annua* lemonade in treatment of *Plasmodium falciparum* Malaria of Children between 6 months and 10 years at Bahouoc and Bangang Fokam (Cameroon). Université des Montagnes, 6th Pan-African Malaria Conference 6-11 Octobre 2013, Durban. South Africa
- Christensen René, Engeu Ogwang Patrick, Lusendi Flora Mbeli,. Kenya – *Artemisia annua* School Garden Project. Evaluation Report by an Independent Team of Researchers, January 13-26, 2014, [www.iday.org](http://www.iday.org)

- Craciunescu O, Constantin D, GasparA, Toma L, Utoi E., MoldovanL. Evaluation of antioxidantand cytoprotective activities of Arnicamontana L. and Artemisia absinthium L. Ethanolic extracts. *Chem Cent J*. 2012Sep9;6(1):97.doi:10.1186/1752-153X-6-97.
- D'Alessandro U. et al. Malaria in infants aged less than six months - is it an area of unmet medical need? *Malaria Journal* 2012, 11: 400 doi:10.1186/1475-2875-11-400.
- Daddy NB, Kalisya LM, Bagire PG, Watt RL, Towler MJ, Weathers PJ (2017) Case Report: *Artemisia annua* rescued ACT failures in DR Congo. Manuscript submitted for publication.
- Dana G. Darlymple ; *Artemisia annua* Artemisinin, ACTs & Malaria Control in Africa Tradition, Science and Public Policy. Politics and Prose Bookstore. April 2012.
- Daria Van Tyne, Baba Dieye, Clarissa Valim, Rachel F Daniels, Papa Diogoye Sène, Amanda K Lukens, Mouhamadou Ndiaye, Amy K Bei, Yaye Die Ndiaye, Elizabeth J Hamilton, Omar Ndir, Souleymane Mboup, Sarah K Volkman, Dyann F Wirth and Daouda Ndiaye. Changes in drug sensitivity and anti-malarial drug resistance mutations over time among *Plasmodium falciparum* parasites in Senegal. *Malaria Journal* 2013;12:441 DOI: 10.1186/1475-2875-12-441Das AK.
- Desrosier M, Weathers PJ (2016) Effect of leaf digestion and artemisinin solubility for use in oral consumption of dried *Artemisia annua* leaves to treat malaria. *J Ethnopharmacol* 190:313-319
- Desrosier M, Weathers PJ (2017) Artemisinin permeability via Caco-2 cells increases after simulated digestion of *Artemisia annua* leaves. Under review for publication.
- Duc DD, Vries (de) PJ, Nguyen XK, Le Nguyen B, Kager PA, Boxtel (van) CJ. The pharmacokinetics of a single dose of artemisinin in healthy Vietnamese subjects. *Am J Trop Med Hyg* 1994, 51: 785-90.
- Duke JA (2001) Handbook of phytochemical constituents of Grass herbs and other economic plants. CRC Press LLC, Boca Raton, FL p 70.
- Eckstein-Ludwig U, Webb RJ, I. van Goethem DA, East JM, LeeAG, Kimura M, O'Neill PM, Bray PG, Ward SA, Krishna S. Artemisinins target the SERCA of Plasmodium falciparum. *Nature* 2003, 424: 957-61.
- Efferth T (2009) Artemisinin: a versatile weapon from traditional Chinese medicine. *Herbal drugs: ethnomedicine to modern medicine*. K. G. Ramawat. Heidelberg, Springer Verlag: 179-194
- Efferth T. Willmar Schwabe Award 2006: antiplasmoidal and antitumor activity of artemisinin--from bench to bedside. *Planta medica* 2007; 73: 299-309
- Ekweka E.J., Mazigo H.D., Munga S., Magesa S.M., Mboera L.E.G. Challenges to malaria control stories in Africa. *Maralte Global Health Perspectives* 2013; Vol 01/ Issue 02, 71-80.
- Elfawal MA, Towler MJ, Reich NG, Golenbock D, Weathers PJ, Rich SM (2012) Dried whole plant *Artemisia annua* as an antimalarial therapy. *PLOS ONE* 7(12): e52746, doi: 10.1371/journal.pone.0052746.
- Elfawal MA, Towler MJ, Reich NG, Weathers PJ, Rich SM (2015) Dried whole plant *Artemisia annua* slows evolution of malaria drug resistance and overcomes resistance to artemisinin. *PNAS USA* 112:821-826, doi: 10.1073/pnas.1413127112.
- Eliningaya J. Kweka, Humphrey D. Mazigo, Stephen Munga, Stephen M. Magesa, Leonard E. G. Mboera, Challenges to malaria control and success stories in Africa, Maralte, GHP October 2013
- Elford BC, Roberts MF, Phillipson JD, Wilson RJM. Potentiation of the antimalarial activity of qinghaosu by methoxylated flavones. *Trans R Soc Trop Med Hyg* 1987, 81; 434-6.
- Ferreira, JFS. Artemisia species in small ruminant production: their potential anti-oxidant and anthelmintic effects. In Appalachian Workshop and Research Update: Improving small ruminant grazing practices; Morales,M.,Ed.; Mountain State University/USDA:Beaver,WV,USA,2009;pp.53–70.
- Ferreira JFS. ,Luthoria DL ,Sasaki, Arne Heyerick A. Flavonoids from *Artemisia annua* L. as Antioxidants and their Potential Synergism with Artemisinin against Malaria and cancer *Molecules* 2010,15,3135-3170;doi:10.3390/molecules1505313.
- Foglio MA, Dias PC, Antônio MA, Possenti A, Rodrigues RA, daSilva EF, Rehder VL, deCarvalho JE. Antiulcerogenic activity of some sesquiterpene lactones isolated from *Artemisia annua*. *PlantaMed*.2002Jun;68(6):515-8.
- Ganesh D, Fuehrer H-P, Starzengrüber P, Swoboda P, Khan WA, Reismann JAB, Mueller MSK, Chiba P, Noedl (2012) Antiplasmoidal activity of flavonol quercetin and its analogues in

- Plasmodium falciparum*: evidence from clinical isolates in Bangladesh and standardized parasite clones. *Parasitol Res* 110:2289-2295.
- Garner P, Graves PM (2005) The Benefits of Artemisinin Combination Therapy for Malaria Extend Beyond the Individual Patient. *PLoS Medicine* 2(4):3105 DOI: 10.1371/journal.pmed.0020105Ge Hong, Manuel de prescriptions pour les situations d'urgence - Ge Hong zhou hou bei ji fang [« 葛洪肘後備急方 »], Pékin, Sheng chu ban she, 1963, 262 p. (ISBN 978-7-1170-0766-5, OCLC 213418179)
- Golenser J, Waknine JH, Krugliak M, Hunt NH, Grau GE. Current perspectives on the mechanism of action of artemisinins. *Int J Parasitol* 2006, 36: 1427-1441.
- Gomes M, Ribeiro I, Warsame M, KarunajeewaH, Petzold M. Rectal artemisinin for malaria: a review of efficacy and safety from individual patient data in clinical studies. *BMC Infect Dis* 2008, 28: 38-9.
- Gomes M.F. et al.Pre-referral rectal artesunate to prevent death and disability in severe malaria: a placebo-controlled trial. *The Lancet* 2009; 373: 557-66.
- Grau G.E., Taylor T.E., M. , Molyneux E., Wirima J.J., Vassali P., Hommel M.; Lambert P. Tumor necrosis factor and disease severity in Children with falciparum malaria. *N Engl J Med* 1989; 320:1586-1591-DOI: 10.1056/NEJM198906153202404
- Graz B., Kitua A.Y., Malebo H.,To what extend can traditional medicine contribute a complementary or alternative solution to malaria programme. *Malaria Journal* 2011; 10 (Suppl 1):S6.
- Green J. The Herbal Medicine-Maker's Handbook. *The Crossing Press*, 2000 Berkeley, California.
- Guarrera PM. Traditional antihelminthic, antiparasitic and repellent uses of plants in Central Italy. *J Ethnopharmacol*.1999Dec15;68(1-3):183-92.
- Gueye El Hadji Omar & al. Artemisia annua tea inhibits Plasmodium falciparum isolates, *Pikine, Senegal*, 2012.
- GUEYE El Hadji Omar, Artistide Le Dantec Hospital, Bacteriology Virology Laboratory, Malaria Section, Dakar (financed by Foundation ARCELORMITAL), undated
- Gunawardena F. S. DD. M., Bandara M. R. S. S.,DE SILVA D., CARTER R., MENDIS K.N., AND A. R. WICKREMASINGHE A.R. ,The Impact of Repeated Malaria Attacks on the School Performance of Children. Department of Parasitology, Faculty of Medicine, University of Colombo, PO Box 271, Kynsey Road, Colombo 8, Sri Lanka. August 2003.
- Hassanali A. (Kenyatta University), Lutgen P. Is PCR genotyping of Plasmodium falciparum a reliable tool to monitor drug resistance? *Malaria World* (Blog of Dr.Lutgen). 2013.
- Heide L, Artemisinin in traditional tea preparations of *Artemisia annua*. *Trans R Soc Trop Med Hyg* 2006, 100: 802.
- Hirt Hans M. & al. "Natural medicine. Practical recipes in Kinshasa, Kongo", 2003.Considers that Artemisia annua is efficient against several diseases (malaria, bilharzioze, HIV/AIDS, hay-fever, skin rash) (confirmed in Kenya)
- Horton Richard, "Stopping Malaria: the Wrong Road", New York Review of Books, February 24, 2011
- Houzé S, Munier A, Paoletti X, Kaddouri H, Ringwald P, Le Bras. Shelf Life of Predosed Plates Containing Mefloquine, Artemisinin, Dihydroartemisinin, and Artesunate as Used for In Vitro *Plasmodium falciparum* Susceptibility Assessment. *J Clin Microbiol* 2007, 45: 2734-36.
- ICIEP (2005) Whole-leaf *Artemisia annua*-based antimalarial drug: report on proof-of-concepts studies, unpublished copy available at: <http://bit.ly/1vCHQkH>
- Jansen FH. The herbal tea approach for artemisinin as a therapy for malaria? *Trans R Soc Trop Med Hyg* 2006, 100: 285-6.
- Jansen FH, Soomro, Shahid A. Chemical Instability Determines the Biological Action of the Artemisinins. *Current Med Chemistry* 2007, 14: 3243-59
- Kago EK, Arudo TO, Ngetich AK, Nthuraku FK Artemisia improving Livelihoods in Eastern & Central Kenya ([kagoelizabeth96@gamil.com](mailto:kagoelizabeth96@gamil.com)), 2013.
- Kangethe N. Lucy Demonstrating resistance-mitigating effect of *A. annua* phytochemical blend with in-vitro cultures of plasmodium falciparum and in-vivo with plasmodium berghei anka in Mice Kenyatta University, 2016.
- Kapoor R, Chaudhary V, Bhatnagar AK. Effects of arbuscular mycorrhiza and phosphorus application on artemisinin concentration in *Artemisia annua L. Mycorrhiza* 2007, 17 : 581-7.

- Karunajeewa HA, Manning L, Mueller I, Ilett KF, Davis TM. Rectal administration of artemisinin derivatives for the treatment of malaria. *JAMA* 2007; 297:2381-90.
- Keiser J., Gruyer M-S, Perrottet N., Zanolari B., Mercier T., Decosterd L., Pharmacokinetic parameters of artesunate and dihydroartemisinin in rats infected with *Fasciola hepatica*, *Journal of Antimicrobial Chemotherapy* 63, January 2009, pp.543 – 549.
- Keipes Georges (President of KraaidergaartWanseler), letter to the Development Cooperation Ministry of the Grand Duchy of Luxembourg, 2007, with reference to the OMS' medicinal herbs programme
- Keiser J, Utzinger J (2012) Antimalarials in the Treatment of Schistosomiasis. *Current Pharmaceutical Design*. 18:3531-3538
- Koopmans R, Ha LD, Duc DD, Dien TK, Kager PA, Khanh NX, Boxtel (van) CJ, Vries (de) PJ. The pharmacokinetics of artemisinin after administration of two different suppositories to healthy Vietnamese subjects. *Am J Trop Med Hyg* 1999, 60:244-7.
- Lai HC, Singh NP, Sasaki T. Development of artemisinin compounds for cancer treatment. *Invest New Drugs*. 2013 Feb;31(1):230-46.doi:10.1007/s10637-012-9873-z.
- Le NB, Pham TY, Nguyen BN, Dang CT, Pham TL, Le DC. Efficacy and effectiveness of five days treatment of uncomplicated falciparum with artemisinin or artesunate in Vietnam. *Southeast Asian J Trop Med Public Health* 1999, 30: 3-6.
- Lehane AM, Saliba KJ (2008) Common dietary flavonoids inhibit the growth of the intraerythrocytic malaria parasite. *BMC Res Notes* 1: 26
- Linda Nordling, Africa Analysis : Finding a Niche in Malaria Research" SciDev Net; March 7 2012. <http://www.scidev.net/en/health/malaria/opinions/africa-analysis-finding-a-niche>.
- Li Shizhen (trad. Xiwen Luo), Compendium of materia medica : bencao gangmu [« 常見病五行漢方對症調養圖典 : 圖解本草綱目 »], Pékin, Foreign Languages Press (52 volumes), 2003, in-6, 4397 p. (ISBN 978-7-1190-3260-3, OCLC 56367841)
- Liu KC-S, Yang SL, Roberts ME, Elford BC, Phillipson JD (1992) Antimalarial activity of *Artemisia annua* flavonoids from whole plants and cell cultures. *Plant Cell Rep* 11:637-640.
- Lommen WJ, Elzinga S, Verstappen FW, Bouwmeester HJ. Artemisinin and sesquiterpene precursors in dead and green leaves of *Artemisia annua* L. crops. *Planta Med* 2007, 73; 1133-9.
- Lubbe A, SeibertI, Klimkait T, vanderKooy F. Ethnopharmacology in over drive: the remarkable anti-HIV activity of *Artemisia annua*. *JEthnopharmacol.* 2012 Jun14;141(3):854-9. doi: 10.1016/j.jep.2012.03.024.
- Luicer Anne Ingasia,Lorna Chebon, Artemisinin-based combination therapy efficacy in Kisumu, Western Kenya: selection of parasite subpopulations of *Plasmodium falciparum* with attenuated response to ACTs. *Tropical Medicine & International Health* 20:18-18 · September 2015
- Lutgen P, Michels B. Bactericidal properties of *Artemisia annua* tea and dosimetry of artemisinin in water by fluorescence under UV light. Proceedings of the International Conference "Maladies Tropicales, aspects humanitaires et économiques", Luxembourg, June 3-4 2008. *Revue Technique Luxembourgeoise*, 2008, 2; 73-78.
- Lutgen P. Open Questions concerning artemisinin and its derivatives, *Malaria World*, October 2012. Article submitted by Bart Knols.
- Lutgen P., Artemisia ketone, phytosterols, lipid metabolism, *Malaria World*, September 2013.
- Mackinnon M.J., Gnandon S., ReadA.F. Virulence evolution in response to vaccination: The case of malaria. *Vaccine* 2008; 265: C42-C52. DOI : 10.1016/j.vaccine.2008.04.012.
- Manda H., Gouagna L.C., Foster W.A., Jackson R.R., Beier J.C., Githure J.I. Hassanali A. Effect of discriminative plant-sugar feeding on the survival and fecundity of *Anopheles gambiae*. *Malaria Journal* 2007, 6:113
- Margaret J. Mackinnon, Andrew F. Read. Immunity Promotes Virulence Evolution in a Malaria Model. *PLoS Biology*, 2004; 2 (9): e230 DOI: 10.1371/journal.pbio.002023
- Mehta SR, Das S. Management of malaria: recent trends. *J Commun Dis* 2006, 38:130-8.(rectal efficiency)
- Meier Zu Biesen Caroline, "The rise to prominence of *Artemisia annua* L.-the transformation of a Chinese plant to a global pharmaceutical", African Sociological Review, 14 February 2010, p. 24-44

- Melillo De Maghalaes Pedro, Campinas University, Brasil, "Working actions for clinical trials on *Artemisia annua* infusion to malaria treatment", paper presented in Rome, 23/04/2010.
- Meshnick S.R., in Ferreira J., Janick J. Annual Wormwood (*Artemisia annua* L.) *New Crop FactSHEET*, 2009
- Meshnik, S.R., Artemisinin: Mechanism of action, resistance and toxicity, *International Journal for Parasitology*, 2002, Vol. 32, issue 13, pp 1655-1660
- Miller L.H., Baruch D.I., Marsh K., Doumbo O.K. The pathogenic basis of malaria. *Macmillan Magazines Ltd* 2002. 415:673-679.
- Mishina Y, Krishna S, Haynes RK, Meade JC (2007) Artemisinins inhibit *Trypanosome cruzi* and *Trypanosoma cruzi rhodesiense* in vitro growth. *Antimicrob Agents Chemother* 51:1852-1854.
- Mueller MS, Karhabomga IB, Hirt HM, Wemakor E. The potential of *Artemisia annua* L. as a locally produced remedy for malaria in the tropics: agricultural, chemical and clinical aspects. *J.Ethnopharmacol* 2000, 73: 487-93.
- Mueller MS, Runyambo N, Wagner I, Borrmann S, Dietz K, Heide L. Randomized controlled trial of a traditional preparation of *Artemisia annua* L. (Annual Wormwood) in the treatment of malaria. *Trans R Soc Trop Med Hyg* 2004, 98: 318-21.
- Munyangi Jérôme, Michel Indumbo, Lucile Cornet-Vernet, Pierre Lutgen, Results of clinical trials in Maniema Province (DRCongo) testing Artemisia annua extracts against malaria and bilharzia. Being prepared for publication. <https://malariaworld.org/blog/breaking-news-clinical-trials-artemisia-plants>, 2016
- Murray C.J.L., Rosenfield L.C., Lim S.S, Andrews K.G., Foreman K.J. Haring D., Fullman N., Naghavi M. Loranzo R., Lopez A.D. Global malaria mortality between 1980 and 2010 : A systematic analysis. *The Lancet* 2012; 379, 413-431.
- Mutabingwa TK1, Anthony D, Heller A, Hallett R, Ahmed J, Drakeley C, Greenwood BM, Whitty CJ. Amodiaquine alone, amodiaquine+sulfadoxine-pyrimethamine, amodiaquine+artesunate, and artemether-lumefantrine for outpatient treatment of malaria in Tanzanian children: a four-arm randomised effectiveness trial. *Lancet*. 2005 Apr 23-29;365(9469):1474-80.
- MW (2016) More extraordinary results from *Artemisia annua* clinical trials. <https://malariaworld.org/comment/2261#comment-2261>
- Njaamker A. Etude préliminaire à l'utilisation d'une photothérapie à base d'*Artemisia annua* chez l'enfant de 6 mois à 5 ans : Dosage de l'artémisinine et étude de la toxicité de la tisane et de la limonade 2011.
- Nordling L. Africa: Finding a Niche in Malaria Research, SICDEV NET, March 2012. <http://www.scidev.net/en/health/malaria/opinions/africa-analysis-finding-a-niche...>
- Ogwang PE, Ogwal JO, Kasasa S, Ejobi F, Kabasa D, Obua C (2011) Use of *Artemisia annua* L. infusion for malaria prevention: mode of action and benefits in a Ugandan community. *British J Pharm Res* 1:124-132, doi: 10.9734/BJPR/2011/392.
- Ogwang PE, Ogwal JO, Kasasa S, Olila D, Ejobi F, Kabasa D, Obua C (2012) *Artemisia annua* L. infusion consumed once a week reduces risk of multiple episodes of malaria: a randomised trial in a Ugandan community. *Trop J Pharm Res* 13:445-453.
- Okombo J., Kiara S.M., Rono J., Mwai L., Pole L., Ohuma E., Borrmann S., Ochola L.I., Nzila A. In Vitro Activities of Quinine and Other Antimalarials and pfnhc Polymorphisms in Plasmodium Isolates from Kenya. *Antimicrobial, Agents and Chemotherapy* 2010; Vol.54, No 8, p3302-3307.
- Olumne P. WHO guidelines for the treatment of malaria, World Health Organization, Geneva 2006.
- Onimus M, Brunet L, Gaudeuille A, Issa Mapouka A. Le traitement des séquelles d'injections intramusculaires de sels de quinine en milieu africain. *Med Trop* 2007 ; 67 : 63-75.
- Onimus M, Carteron S, Lutgen P (2013) The surprising efficiency of *Artemisia annua* powder capsules. *Med Aromat Plants* 2:3, doi: 10.4172/2167-0412.1000125.
- Ounma P., Parise M.E., Hamel M.J, ter Kuile F.O, Otieno K., Ayisi J.G., Kager P.A, Steketee R.W.,Slutske L. van Eijk A.M.A randomized controlled trial of folate supplementation when treating malaria in pregnancy with Sulfadoxine-Pyrimethamine. *Plos Clin. Trials* 2006; 1(6) e28. DOI: 10.1371/journal.pctr 0010028.
- Radiology an Oncology Research Institut research team. In vitro study of antitumor effect of *Artemisia annua* tea. Belgrade, Serbia.

- Rasal V P, Ajay Kshirsagar, Raj Bagali, Santosh K. Rai. Influence of *Artemisia pallens* wall plant on experimental wounds in albino rats. In: Recent Advances in Medicinal Plant Research. 2005; 393-401.
- Räth K, Taxis K, Walz G, Gleiter CH, Li SM, Heide L. Pharmacokinetic study if artemisinin after oral intake of a traditional preparation of *Artemisia annua* L. (annual wormwood). *Am J Trop Med Hyg* 2004; 70: 128-32.
- Rehwagen Christiane, "WHO ultimatum on artemisinin monotherapy is showing", British Medical Journal, 2006 May 20
- Ribeiro Ir, Olliari P., Safety of artemisinin and its derivatives. A review of published and unpublished clinical trials, *MédecineTropicale*, Vol. 58, Issue:3 Suppl., 1998, pp.50-3
- Ridder (de) S, Kooy (van der) F, Verpoorte R. *Artemisia annua* as a self-reliant treatment for malaria in developing countries. *J.Ethnopharmacol* 2008.
- Riley E.M., Wahl S., Perkins D.J. Schofield I. Regulating immunity to malaria. *Parasite Immunology* 2006; 28, 35-38.
- Schwartz E., Tropical Diseases in Travelers, Ed E. Schwartz, 2010, Wiley-Blackwell, Oxford, 504 pp.
- Sen R, Bandyopadhyay S, Dutta A, Mandal G, Ganguly S, Saha P, Chatterjee M (2007) Artemisinin triggers induction of cell-cycle arrest and apoptosis in *Leishmania donovani* promastigotes. *J Med Microbiol* 56:1213-1218.
- Silachamroon U, Phumratanaprapin W, Krudsood S, Treeprasertsuk S, Budsaratid V, Pornpininworakij K, Wilairatan P, Looareesuwan S. Frequency of early rising parasitaemia in falciparum malaria treated with artemisinin derivatives. *Southeast Asian J Trop Med Public Health* 2001, 32: 50-6.
- Simonnet X, Cutler M, Rasamiharimanana S, Bathurst I (2010) *Artemisia annua* L. harvest and post-harvest treatments. Report 2008-2009 to Medicines for Malaria Venture.
- Su V., King D., Woodrow I. McFadden G., Gleadow R. Plasodium falciparum growth by monoterpenes from eucalyptus oil. *Flavour and Fragance J.* 2008; 23,315-318.
- Suberu JO, Gorka AP, Jacobs L, Roepe PD, Sullivan N, Barker GC (2013) Antiplasmodial polyvalent interactions in *Artemisia annua* L. aqueous extract – possible synergistic and resistance mechanisms. *PLOS ONE* 8, e80790, doi: 10.1371/journal.pone.0080790
- Swarthout TD, van den Broek IV, Kayembe G, Montgomery J, Pota H, Roper C. Artesunate + amodiaquine and artesunate + sulphadoxine-pyrimethamine for treatment of uncomplicated malaria in Democratic Republic of Congo: a clinical trial with determination of sulphadoxine and pyrimethamine-resistant haplotypes. *Trop Med Int Health.* 2006, 11: 1503-11.
- Thulliez J. Malaria and Primary Education: A Cross-Country Analysis on Primary Repetition and Completion Rates, Document de travail du Centre d'Economie de la Sorbone. Centre National de la Recherche Scientifique. 2007.13. Mai 2007.
- Tonhosolo R., D'Alexendri F.,Genta F.A., Wunderlich G., Gozzo Fabio C., Eberlin M.N., Peres V.J., Kimura E.A., Katzin A.M. Identification, molecular cloning and functional characterization of an octaprenyl pyrophosphate synthase in intra-erythrocytic stages of *Plasmodium falciparum*. *Biochem J.* 2005; 392,117-126
- Toufigh G., Lepist E-I, Artemisinin derivatives: toxic for laboratory animals, safe for humans? *Toxicology letters*, Vol.147, Issue 2, 2004, pp. 99-107
- Turki H., Zoghi S., Mehrizi S., Raeisi A., Khazan H., Haghdoost AA. Absence of Asymptomatic Malaria Infection in Endemic Area of Bashagard District, Hormozgan Province, Iran. *Iranian J Parasitol* 2011: Vol. 7, No.1, 2012, pp.36-44
- Udobre A., Edoho E.J.,Eseyin E., Etim E. Effect of Artemisinin with Folic acid on the activities of Aspartate amino transferase,Alanine amino transferase and Alkaline phosphatase in Rat. *Asian J.of Biochemistry* 2009; 4(2):55-59
- Vanden Enden E. Pharmacotherapy of helminth infection *ExpertOpin Pharmacother*.2009 Feb;10(3):435-51.doi: 10.1517/14656560902722463.
- van der Kooy, F, Verpoorte R (2011) The Content of Artemisinin in the *Artemisia annua* Tea Infusion. *Planta Med* 77(15), 1754-1756.
- van der Kooy, Frank, Sullivan S.E., The complexity of medicinal plants: The traditional *Artemisia annua* formulation, current status and future perspectives. *Journal of Ethnopharmacology* (2013)

- van Zyl RL, Seatlholo ST, van Vuuren SF, Viljoen AM (2006) The biological activities of 20 nature identical essential oil constituents. *J Essent Oil Res Special Edition* 18:129-133
- Vries (de) PJ, Dien TK. Clinical pharmacology and therapeutic potential of artemisinin and its derivatives in the treatment of malaria. *Drugs* 1996, 52; 818-36.
- Vries (de) PJ, Tran KD, Nguyen XK, Le Nguyen B, Pham TY, Dao DD, Boxtel (van) CJ, Kager PA. The pharmacokinetics of a single dose of artemisinin in patients with uncomplicated falciparum malaria. *Am J Trop Med Hyg* 1997, 56: 503-7.
- Wang Y, Huang Z, Wang L, Meng S, et al. The anti-malarial artemisinin inhibits pro-inflammatory cytokines via the NF- $\kappa$ B canonical signalling pathway in P MA-induced THP-1 monocytes. *Int J Mol Med*. 2011 Feb;27(2):233-41.doi:10.3892/ijmm.2010.580.
- Weathers PJ, Arsenault PR, Covello PS, McMickle A, Teoh KH, Reed DW (2011) Artemisinin production in *Artemisia annua*: studies in planta and results of a novel delivery method for treating malaria and other neglected diseases. *Phytochem Rev* 10:173-183.
- Weathers PJ, Elfawal MA, Towler MJ, Acquaah-Mensah G, Rich SM (2014a) Pharmacokinetics of artemisinin delivered by oral consumption of *Artemisia annua* dried leaves (pACT) in healthy vs. *Plasmodium chabaudi*-infected mice. *J Ethnopharmacol* 153:732-736.
- Weathers PJ, Jordan N, Lasin P, Towler MJ (2014b) Simulated digestion of dried leaves of *Artemisia annua* consumed as a treatment (pACT) for malaria. *J Ethnopharmacol* 151:858-863.
- Weathers PJ, Towler MJ (2012) The flavonoids casticin and artemetin are poorly extracted and are unstable in an *Artemisia annua* tea infusion. *Planta Med* 78: 1024-1026.
- Weathers PJ, Towler MJ (2014) Changes in key constituents of clonally propagated *Artemisia annua* L. during preparation of compressed leaf tablets for possible therapeutic use. *Ind Crops Prod* 62:173-178.
- Weathers PJ, Towler MJ, Hassanali A, Lutgen P, Engeu PO (2014c) Dried-leaf *Artemisia annua*, pACT: a practical malaria therapeutic for developing countries? *World J Pharmacol* 3:39-55.
- White NJ, Nosten F, Looareesuwan S, Watkins WM, Marsh K, Snow RW, Kokwaro G, Ouma J, Hien TT, Molyneux ME, Taylor TE, Newbold CI, Ruebush II TK, Danis M, Greenwood BM, Anderson RM, Olliaro P. Averting a malaria disaster. *Lancet* 1999, 353: 1965-7.
- Whitty CJ, Staedke SG. Artemisinin-based combination treatment for malaria in Africa: no perfect solutions. *Clin Infect Diseases* 2005, 41; 1087-88.
- Willcox ML., Burton S., Oyweka R., Namyalo R. , Challand S., Lindsey K. Evaluation and pharmacovigilance of projects promoting cultivation and local use of *Artemisia annua* for malaria. *Malaria Journal* 2011,10:84.doi:10.1186/1475-2875-10-84.
- Willcox M., Bodeker G., Bourdy G., Dhingra, V., Falquet J., Ferreira J.F.S., Graz B., Hirt H.-M., Hsu E., de Magalhães P.M., Provendier D., Wright C.W. "Artemisia annua as a traditional herbal antimalarial". p. 43-59. In: Willcox, M.L., Bodeker, G., Rasoanaivo, P. (Eds), 2004. Traditional Medicinal Plants and Malaria. CRC Press, Boca Raton, FL
- Willcox M, Rasoanaivo P. Comment on: Randomized controlled trial of a traditional preparation of *Artemisia annua* L. (Annual Wormwood) in the treatment of malaria. *Trans R Soc Trop Med Hyg* 2004, 98: 755-6.
- WHO Malaria Report 2015
- WHO meeting on the production of artemisinin and artemisinin-based combination therapies, 6–7 June 2005, Arusha, United Republic of Tanzania
- Zatra R. et al, In Vitro antimalarial susceptibility and molecular markers of drug resistance in Franceville, Gabon, *BMC Infectious Diseases* 2012, 12:307.
- Zheng H, Colvin CJ, Johnson BK, Kirchhoff PD, Wilson M, Jorgensen-Muga K, Larsen SD, Abramovitch, RB 2016 Inhibitors of *Mycobacterium tuberculosis* DosRSTsignaling and persistence. *Nature Chem Biol* published online Dec. 19, 2016 DOI: [10.1038/nchembio.2259](https://doi.org/10.1038/nchembio.2259)
- Zime-Diawara H, Sissinto-Savi De Tove Y, Akogbeto Oe, Ogouyemi-Hounto A, Gbaguidi Fa, Kindé-Gazard D, Massougbedji A , Bigot A, Sinsin B , Joëlle Quétin-Leclercq J, Evrard B, Moudachirou M (2015) Etude de l'efficacité et de la tolérance d'une tisane à base de *Artemisia annua* L. (Asteraceae) cultivée au Bénin pour la prise en charge du paludisme simple. *Int. J. Biol. Chem. Sci.* 9(2): 692-702

Use of rectal artemisinin-based suppositories in the management of severe malaria. Report of a WHO Informal Consultation, 27–28 March 2006, World Health Organization, Geneva 2007.

**International Position on Medicinal plants:**

1. Declaration of Alma Ata
2. WHO Fact Sheet N°134
3. WHO/TRM Office's prescription
4. Directive européenne EC/2004/24
5. Africa Herbal Antimalarial Meeting
6. Beijing Declaration
7. WHO Position statement herbal remedy *Artemisia annua*